Behavioral Ecology Vol. 6 No. 4: 461–465

Volume 6 Indexes

Subject Index

Accipiter nisus. *See* Sparrowhawks
Acinonyx jubatus. *See* Cheetahs
Acris crepitans. *See* Cricket frog
Acrocephalus arundinaceus. *See* Great reed warbler
Aepyceros melampus. *See* Impala
Age, of field cricket, 376–381
Agelaius phoeniceus. *See* Red-winged blackbirds
Alarm substance, and fathead minnows, 155–158
Altricial young, 296–307
Ant
  colony structure and reproduction in, 359–367
  dispersal in, 132–139
Antarctic fur seals, maternal expenditure in, 218–228
Anthus sp. spinoletta. *See* Water pipit
Antilocapra americana. *See* Pronghorn antelope
Antipredator behavior, in white-tailed deer, 442–450
Aquarius remigis. *See* Stream water strider
Arctocephalus gazella. *See* Antarctic fur seals
Avian mating systems, 296–307

Bald eagles, predation risk to rhinoceros auklets, 82–86
Barn swallow
  phenotypic quality and molt in, 242–249
  testosterone, immune system, and parasites in, 397–404
Bighorn sheep, maternal care in, 451–457
Black rhinoceros, predation risk to, 57–64
Black-tailed prairie dog, foraging behavior of, 353–358
Black wheatear, sexual display in, 368–375
Blue milkweed beetle, postcopulatory riding in, 280–286
Bounding, in white-tailed deer, 442–450
Breeding
  colonies, 308–310
  of pied flycatchers, 22–26
  of red-winged blackbirds, 87–93
  suppression in field vole, 311–315
  See also Cooperative breeding
Brood defense, in great tit, 235–241
Brood size
  of Eurasian kestrels, 435–441
  in great tit, 235–241
Brown-headed cowbirds, parasitism on kingbirds, 140–145
Bushcricket, nuptial gifts of, 458

Calling behavior
  of cricket frog, 124–131
  in field cricket, 376–381
  in sagebrush crickets, 250–257
Campylorhynchus nuchalis. *See* Stripe-backed wren
Cerorhinca monocerata. *See* Rhinoceros auklets
Cervus elaphus. *See* Wapiti
CGH. *See* Copulatory guarding hypothesis
Charadrius morinellus. *See* Eurasian dotterel
Cheetahs, cub growth and maternal care in, 405–409
Chrysochus cobaltinus. *See* Blue milkweed beetle
Coenonympha pamphilus. *See* Small heath butterfly
Colonial breeding, 308–310
Colony regulation, 117–123, 132–139
Colony structure, 359–367
Competitors, 1–5
Conservation biology, book review on, 460
Convenience polyandry hypothesis (CPH), 388–392
Cooperative breeding
  societies, 111–112
  in stripe-backed wren, 337–342
Copulatory guarding hypothesis (CGH), 388–392
CPH. *See* Convenience polyandry hypothesis
Cricket frog, calling behavior of, 124–131
Crocuta crocuta. *See* Spotted hyenas
Cub growth, in cheetahs, 405–409
Cuckoo, adaptations in hosts, 166–174
Cuculus canorus. *See* Cuckoo
Currency trade-offs, and fitness, 424–434
Cynomys ludovicianus. *See* Black-tailed prairie dog
Cyphoderris strepitans. *See* Sagebrush crickets

Damselfishes, attacks on redlip blennies, 175–181
Diceros bicornis. *See* Black rhinoceros
Discarding decisions, 146–154
Dispersal
  in ants, 132–139
  in stripe-backed wren, 337–342
Division of labor, by eusocial insects, 269–273
DNA fingerprinting, 27–38
Dominance
  in European starling, 343–348
  hierarchies, 416–423

Eastern kingbirds, brown-headed cowbirds parasitism on, 140–145
Egg color, in European passerines, 166–174
Energetic constraints, and foraging efficiency, 393–396
Eurasian dotterel, paternal care in, 14–21
Eurasian kestrels, nest defense by, 435–441
European passerines, egg color in, 166–174
European starling
  dominance and fat reserves in, 343–348
  patch assessment of, 65–72
Eusocial insects, age polyethism in, 269–273
Eusociality
  continuum for, 102–108
  definition of, 109–115
Evolutionary game theory, 416–423
Extrapair paternity, in great reed warbler, 27–38

Falco tinnunculus. *See* Eurasian kestrels
Fathead minnows, alarm substance and, 155–158
Fat reserves, in European starling, 343–348
Female access, by male lizard, 382–387
Female choice
  and male display, 350–351
  in male swordtails, 274–279
  by peacock wrasse, 73–81
  See also Mate choice
Ficedula hypoleuca. *See* Pied flycatchers
Field cricket, male quality in, 376–381
Field vole
  breeding suppression in, 311–315
  female social organization of, 182–191
Fighting ability, and dominance hierarchies, 416–423
Fishery, 146–154

Fitness, and currency trade-offs, 424–434
Food resources, in water pipit, 287–295
Foot-stamping, in white-tailed deer, 442–450
Foraging
of black-tailed prairie dog, 353–358
discarding decisions, 146–154
efficiency and energetic constraints, 393–396
group, 1–5, 65–72
in primates, 326–336
quality by wapiti, 209–217
sit-and-wait, 258–268
in water pipit, 287–295
Formica truncorum. See Ant
Forpus passerinus. See Green-rumped parrotlets

Gerris lacustris. See Water strider
Great reed warbler, extrapair paternity in, 27–38
Great tit, brood defense and size in, 235–241
Green-rumped parrotlets, mass change in, 192–198
Green-veined white butterfly, sexual selection in, 6–13
Grooming, of impala, 94–101
Group foraging, 1–5
of European starlings, 65–72
Group size
and dominance hierarchies, 416–423
effects on black-tailed prairie dog, 353–358
and parasitism, 159–165
in primates, 326–336
Gryllus campestris L. See Field cricket

Habitat fragmentation, in tawny owl, 410–415
Haliaeetus leucocephalus. See Bald eagles
High-grading, in trawl fishery, 146–154
Hirundo rustica. See Barn swallow
Home range, in male lizard, 382–387
Hot-spot model, 39–45
Hunting behavior, in tawny owl, 410–415

Immune system, in barn swallow, 397–404
Immunocompetence hypothesis, 397–404
Immunoglobulins, 397–404
Impala, grooming rate and tick load of, 94–101
Individual identification, in social organizations, 199–208
Intersexual conflict, in water strider, 388–392

Juvenile dispersal, in stripe-backed wren, 337–342

Kestrels. *See* Eurasian kestrels

Lek mating, in small heath butterfly, 39–45
Leptothorax acervorum. See Ant
Leukocytes, 397–404
Lions, predation risk to black rhinoceros, 57–64
Lizard, tail loss in male, 382–387

Male cooperation, 192–198
Male display, and female choice, 350–351
Male guarding, by water strider, 388–392
Male quality, in field cricket, 376–381
Marginal value theorem, 1–5
Martes martes. See Stuffed pine marten
Mass change, in green-rumped parrotlets, 192–198
Mate choice
by redlip blennies, 175–181
See also Female choice
Maternal care
in Antarctic fur seals, 218–228
in cheetahs, 405–409
in pronghorn and bighorn, 451–457
Mating systems
avian, 296–307
of male soapberry bug, 46–56
of stream water striders, 316–325
Microtine rodents, 182–191
Microtus agrestis. *See* Field vole
Molothrus ater. See Brown-headed cowbirds
Molt, in barn swallow, 242–249

National Bison Range (NBR), 451–457
Nest defense, by Eurasian kestrels, 435–441
Nesting, of red-winged blackbirds, 87–93

Odocoileus virginianus. See White-tailed deer
Oenanthe leucura. See Black wheatear
Offspring survival, of Eurasian kestrels, 435–441
Ophioblennius atlanticus. See Redlip blennies
Ovis canadensis. See Bighorn sheep

Pairing success, in field cricket, 376–381
Panthera leo. See Lions
Parasites, in barn swallow, 397–404
Parasitism
by cowbirds on kingbirds, 140–145
and group size, 159–165
Parasitoids, 234
Parental care
by Eurasian kestrels, 435–441
great tit, 235–241
in peacock wrasse, 73–81
in rhinoceros auklets, 82–86
Parus major. See Great tit
Patch assessment, of group foraging starlings, 65–72
Patch choice, by wapiti, 209–217
Patch exploitation, 1–5
Paternal care, in Eurasian dotterel, 14–21
Peacock wrasse, parental care in, 73–81
Pied flycatchers, predation risk from sparrowhawks, 22–26
Pieris napi. See Green-veined white butterfly
Pimephales promelas. See Fathead minnows
Pipefish, potential reproductive rates in, 229–233
Plumage, in male pied flycatchers, 22–26
Postcopulatory riding, in blue milkweed beetle, 280–286
Prairie dog. *See* Black-tailed prairie dog
Precocial young, 296–307
Predation risk
to black rhinoceros, 57–64
in field vole, 311–315
to pied flycatchers, 22–26
in primates, 326–336
to rhinoceros auklets, 82–86
of stream water striders, 316–325
Primates, predicting group size in, 326–336
Primitively eusocial wasp, 117–123
Pronghorn antelope, maternal care in, 451–457
Psammodromus algirus. See Lizard

Queens
ant, 359–367
control by, 117–123, 132–139

Redlip blennies, mate choice by, 175–181
Red-winged blackbirds, breeding of, 87–93
Reproduction, in ant, 359–367
Reproductive rates, in pipefish, 229–233
Reproductive success

in green-veined white butterfly, 6–13
in water pipit, 287–295
Resource holding potential (RHP), 416–423
Rhinoceros auklets, parental provisioning and predation risk in, 82–86
RHP. *See* Resource holding potential
Ropalidia marginata. See Primitively eusocial wasp

Sagebrush crickets, sexual competition in, 250–257
Senescence, in eusocial insects, 269–273
Sex ratio
of soapberry bug, 46–56
of stream water striders, 316–325
Sex-role reversal
in Eurasian dotterel, 14–21
in pipefish, 229–233
Sexual competition, in sagebrush crickets, 250–257
Sexual display, in black wheatear, 368–375
Sexual selection
in barn swallow, 242–249
book review on, 459–460
in field cricket, 376–381
in green-veined white butterfly, 6–13
phylogenetic transitions in, 349
Sit-and-wait foraging, 258–268
Size, of field cricket, 376–381
Small heath butterfly, lek mating in, 39–45
Snorting, in white-tailed deer, 442–450
Soapberry bug, male mating tactics of, 46–56
Social animals, parasitism and group size in, 159–165
Social behavior, of soapberry bug, 46–56
Social organization
in female field voles, 182–191
structure and temporal scale of, 199–208
Social status, of red-winged blackbirds, 87–93
Sparrowhawks, predation risk from, 22–26
Spotted hyenas, predation risk to black rhinoceros, 57–64
Stone carrying, in black wheatear, 368–375
Stream water strider, mating dynamics of, 316–325
Stripe-backed wren, juvenile dispersal in, 337–342
Strix aluco. See Tawny owl
Stuffed pine marten, 435–441
Sturnus vulgaris. See European starling
Survival, of Eurasian kestrels' offspring, 435–441
Swordtails, vertical bars on males, 274–279
Symmetry, in field cricket, 376–381
Symphodus tinca. See Peacock wrasse
Syngnathus typhle. See Pipefish

Tail-flagging/flicking, in white-tailed deer, 442–450
Tail loss, in male lizard, 382–387
Tawny owl, habitat fragmentation in, 410–415
Temperature, and potential reproductive rates, 229–233
Temporal scale, of social organizations, 199–208
Testosterone, in barn swallow, 397–404
Ticks, on impala, 94–101
Trawl fishery, 146–154
Tyrannus tyrannus. See Eastern kingbirds

Unshared parental investment, 235–241

Vertical bars, on male swordtails, 274–279
Vole cycle, 435–441

Wapiti, forage quality and patch choice by, 209–217
Water pipit, foraging and reproductive success in, 287–295
Water strider, male guarding by, 388–392
White-tailed deer, antipredator behavior in, 442–450
Worker activity, 117–123, 269–273

Xiphophorus multilineatus. See Swordtails

Author/Title Index

Agrell J: A shift in female social organization independent of relatedness: an experimental study on the field vole (*Microtus agrestis*), 182–191
Ahnesjö I: Temperature affects male and female potential reproductive rates differently in the sex-role reversed pipefish, *Syngnathus typhle*, 229–233

Barta Z, Szép T: Frequency-dependent selection on information-transfer strategies at breeding colonies: a simulation study, 308–310
Bazin RC. *See* Sealy SG
Beachly WM, Stephens DW, Toyer KB: On the economics of sit-and-wait foraging: site selection and assessment, 258–268
Beissinger SR. *See* Curlee AP
Bensch S. *See* Hasselquist D
Berger J, Cunningham C: Predation, sensitivity, and sex: why female black rhinoceroses outlive males, 57–64
Bolzern AM. *See* Saino N
Brodmann PA. *See* Frey-Roos F
Burke T. *See* Owens IPF
Byers JA, Hogg JT: Environmental effects on prenatal growth rate in pronghorn and bighorn: further evidence for energy constraint on sex-biased maternal expenditure, 451–457

Caro TM, Lombardo L, Goldizen AW, Kelly M: Tail-flagging and other antipredator signals in white-tailed deer: new data and synthesis, 442–450
Carroll SP, Corneli PS: Divergence in male mating tactics between two populations of the soapberry bug: II. Genetic change and the evolution of a plastic reaction norm in a variable social environment, 46–56
Chivers DP, Smith RJF: Fathead minnows (*Pimephales promelas*) learn to recognize chemical stimuli from high-risk habitats by the presence of alarm substance, 155–158
Corneli PS. *See* Carroll SP
Côté IM (*see also* Reynolds JD), Poulin R: Parasitism and group size in social animals: a meta-analysis, 159–165
Crespi BJ, Yanega D: The definition of eusociality, 109–115
Cristol DA: Early arrival, initiation of nesting, and social status: an experimental study of breeding female red-winged blackbirds, 87–93
Cunningham C. *See* Berger J
Curio E, Onnebrink H: Brood defense and brood size in the great tit (*Parus major*): a test of a model of unshared parental investment, 235–241
Curlee AP, Beissinger SR: Experimental analysis of mass change in female green-rumped parrotlets (*Forpus passerinus*): the role of male cooperation, 192–198

Dickinson JL: Trade-offs between postcopulatory riding and mate location in the blue milkweed beetle, 280–286
Dixon A. *See* Owens IPF
Dugatkin LA. *See* Mesterton-Gibbons M

Eggert A-K. *See* Sakaluk SK

Frey-Roos F, Brodmann PA, Reyer H-U: Relationships between food resources, foraging patterns, and reproductive success in the water pipit, *Anthus sp. spinoletta*, 287–295
Fryxell JM. *See* Wilmshurst JF

Gadagkar R. *See* Premnath S
Garcia-Barros E. *See* Wickman P-O
Gillis DM, Pikitch EK, Peterman RM: Dynamic discarding decisions: foraging theory for high-grading in a trawl fishery, 146–154
Giraldeau L-A. *See* Templeton JJ
Goldizen AW. *See* Caro TM
Goldsmith ML. *See* Janson CH
Goldsworthy SD: Differential expenditure of maternal resources in Antarctic fur seals, *Arctocephalus gazella*, at Heard Island, southern Indian Ocean, 218–228
Götmark F: Black-and-white plumage in male pied flycatchers (*Ficedula hypoleuca*) reduces the risk of predation from sparrowhawks (*Accipiter nisus*) during the breeding season, 22–26
Grether GF: Genetic correlation complicates the interpretation of phylogenetic transitions in sexually selected traits, 349
Gwynne DT: Variation in bushcricket nuptial gifts may be due to common ancestry rather than ecology as taxonomy and diet are almost perfectly confounded, 458

Harfenist A, Ydenberg RC: Parental provisioning and predation risk in rhinoceros auklets (*Cerorhinca monocerata*): effects on nestling growth and fledging, 82–86
Hart BL. *See* Mooring MS
Hasselquist D, Bensch S, von Schantz T: Low frequency of extrapair paternity in the polygynous great reed warbler, *Acrocephalus arundinaceus*, 27–38
Heinze J, Lipski N, Schlehmeyer K, Hölldobler B: Colony structure and reproduction in the ant, *Leptothorax acervorum*, 359–367
Hill GE: Evolutionary inference from patterns of female preference and male display, 350–351
Hogg JT. *See* Byers JA
Hölldobler B. *See* Heinze J
Houston AI: Energetic constraints and foraging efficiency, 393–396
Hudson RJ. *See* Wilmshurst JF

Jabłoński P, Vepsäläinen K: Conflict between sexes in the water strider, *Gerris lacustris*: a test of two hypotheses for male guarding behavior, 388–392
Jacobson KA. *See* Sakaluk SK
Janson CH, Goldsmith ML: Predicting group size in primates: foraging costs and predation risks, 326–336
Jeanne RL. *See* O'Donnell S

Kaitala A. *See* Wiklund C
Kalat KL. *See* Salant SW
Keller L. *See* Sherman PW
Kelly M. *See* Caro TM
Kildaw SD: The effect of group size manipulations on the foraging behavior of black-tailed prairie dogs, 353–358
Korpimäki E. *See* Tolonen P
Koskela E, Ylönen H: Suppressed breeding in the field vole (*Microtus agrestis*): an adaptation to cyclically fluctuating predation risk, 311–315
Krupa JJ. *See* Sih A

Lacey EA. *See* Sherman PW
Lalonde B: Review of *Parasitoids: behavioral and evolutionary ecology*, by HCJ Godfray, 234
Laurenson MK: Cub growth and maternal care in cheetahs, 405–409
Lejeune P. *See* Warner RR
Lindén M. *See* Møller AP
Lipski N. *See* Heinze J
Lombardo L. *See* Caro TM
López P. *See* Salvador A

Magnhagen C. *See* Moller AP
Martín J. *See* Salvador A
McClelland BE. *See* Ryan MJ
Mesterton-Gibbons M, Dugatkin LA: Toward a theory of dominance hierarchies: effects of assessment, group size, and variation in fighting ability, 416–423
Moksnes A. *See* Øien IJ
Møller AP (*see also* Saino N), Lindén M, Soler JJ, Soler M, Moreno J: Morphological adaptations to an extreme sexual display, stone-carrying in the black wheatear, *Oenanthe leucura*, 368–375
Møller AP, Magnhagen C, Ulfstrand A, Ulfstrand S: Phenotypic quality and molt in the barn swallow, *Hirundo rustica*, 242–249
Mooring MS, Hart BL: Differential grooming rate and tick load of territorial male and female impala, *Aepyceros melampus*, 94–101
Moreno J. *See* Møller AP
Morris MR, Mussel M, Ryan MJ: Vertical bars on male *Xiphophorus multilineatus*: a signal that deters rival males and attracts females, 274–279
Mussel M. *See* Morris MR

O'Donnell S, Jeanne RL: Implications of senescence patterns for the evolution of age polyethism in eusocial insects, 269–273
Øien IJ, Moksnes A, Roskaft E: Evolution of variation in egg color and marking pattern in European passserines: adaptations in a coevolutionary arms race with the cuckoo, *Cuculus canorus*, 166–174
Onnebrink H. *See* Curio E
Owens IPF, Dixon A, Burke T, Thompson DBA: Strategic paternity assurance in the sex-role reversed Eurasian dotterel (*Charadrius morinellus*): behavioral and genetic evidence, 14–21

Parker PG. *See* Piper WH
Peterman RM. *See* Gillis DM
Peuhkuri N. *See* Ranta E
Pikitch EK. *See* Gillis DM
Piper WH, Parker PG, Rabenold KN: Faculative dispersal by juvenile males in the cooperative stripe-backed wren, 337–342
Poulin R. *See* Côté IM
Premnath S, Sinha A, Gadagkar R: Regulation of worker activity in a primitively eusocial wasp, *Ropalidia marginata*, 117–123

Rabenold KN. *See* Piper WH
Ranta E, Rita H, Peuhkuri N: Patch exploitation, group foraging, and unequal competitors, 1–5
Rappe-George C. *See* Wickman P-O
Redpath SM: Impact of habitat fragmentation on activity and hunting behavior in the tawny owl, *Strix aluco*, 410–415
Reeve HK. *See* Sherman PW
Reyer H-U. *See* Frey-Roos F
Reynolds JD, Côté IM: Direct selection on mate choice: female redlip blennies pay more for better mates, 175–181

Rita H. *See* Ranta E
Røskaft E. *See* Øien IJ
Ryan MJ (*see also* Morris MR), Warkentin KM, McClelland BE, Wilczynski W: Fluctuating asymmetries and advertisement call variation in the cricket frog, *Acris crepitans*, 124–131

Saino N, Moller AP, Bolzern AM: Testosterone effects on the immune system and parasite infestations in the barn swallow (*Hirundo rustica*): an experimental test of the immunocompetence hypothesis, 397–404
Sakaluk SK, Snedden WA, Jacobson KA, Eggert A-K: Sexual competition in sagebrush crickets: must males hear calling rivals?, 250–257
Salant SW, Kalat KL, Wheatcroft A-M: Deducing implications of fitness maximization when a trade-off exists among alternative currencies, 424–434
Salvador A, Martín J, López P: Tail loss reduces home range size and access to females in male lizards, *Psammodromus algirus*, 382–387
Schlehmeyer K. *See* Heinze J
Sealy SG, Bazin RC: Low frequency of observed cowbird parasitism on eastern kingbirds: host rejection, effective nest defense, or parasite avoidance?, 140–145
Sherman PW, Lacey EA, Reeve HK, Keller L: The eusociality continuum, 102–108
Sih A, Krupa JJ: Interacting effects of predation risk and male and female density on male/female conflicts and mating dynamics of stream water striders, 316–325
Simmons LW: Correlates of male quality in the field cricket, *Gryllus campestris* L.: age, size, and symmetry determine pairing success in field populations, 376–381
Sinha A. *See* Premnath S
Smith RJF. *See* Chivers DP
Snedden WA. *See* Sakaluk SK
Soler JJ. *See* Møller AP
Soler M. *See* Møller AP
Stephens DW. *See* Beachly WM
Sundström L: Dispersal polymorphism and physiological condition of males and females in the ant, *Formica truncorum*, 132–139
Swaddle JP. *See* Witter MS
Szép T. *See* Barta Z

Templeton JJ, Giraldeau L-A: Patch assessment in foraging flocks of European starlings: evidence for the use of public information, 65–72
Temrin H, Tullberg BS: A phylogenetic analysis of the evolution of avian mating systems in relation to altricial and precocial young, 296–307
Thompson DBA. *See* Owens IPF
Thornhill R: Review of *Sexual selection*, by M Andersson, 459–460
Tolonen P, Korpimäki E: Parental effort of kestrels (*Falco tinnunculus*) in nest defense: effects of laying time, brood size, and varying survival prospects of offspring, 435–441
Toyer KB. *See* Beachly WM
Tullberg BS. *See* Temrin H

Ulfstrand A. *See* Moller AP
Ulfstrand S. *See* Moller AP

van den Berghe. *See* Warner RR
Vepsäläinen K. *See* Jabłoński P
Vincent V: Review of *Principles of conservation biology*, by GK Meffe and CR Carroll, 460
von Schantz T. *See* Hasselquist D

Warkentin KM. *See* Ryan MJ
Warner RR, Wernerus F, Lejeune P, van den Berghe E: Dynamics of female choice for parental care in a fish species where care is faculative, 73–81
Wernerus F. *See* Warner RR
Wheatcroft A-M. *See* Salant SW
Whitehead H: Investigating structure and temporal scale in social organizations using identified individuals, 199–208
Wickman P-O, Garcia-Barros E, Rappe-George C: The location of landmark leks in the small heath butterfly, *Coenonympha pamphilus*: evidence against the hot-spot model, 39–45
Wiklund C, Kaitala A: Sexual selection for large male size in a polyandrous butterfly: the effect of body size on male versus female reproductive success in *Pieris napi*, 6–13
Wilczynski W. *See* Ryan MJ
Wilmshurst JF, Fryxell JM, Hudson RJ: Forage quality and patch choice by wapiti (*Cervus elaphus*), 209–217
Witter MS, Swaddle JP: Dominance, competition, and energetic reserves in the European starling, *Sturnus vulgaris*, 343–348

Ydenberg RC. *See* Harfenist A
Ylönen H. *See* Koskela E